

# Sales Demo Kits and Demo Softeners

---



 ENLARGE IMAGE



## Customize Your Water Quality Sales Demonstrations

---

Model AT-Q Digital and AT Visual series outfits are the most popular and effective sales tools for on-site demonstrations. The tests clearly demonstrate the benefits between untreated and treated water.

- ▶ New rugged cases with locks
- ▶ Fast and simple tests
- ▶ More custom options
- ▶ Competitive pricing

CHOOSE A BASE KIT Detailed in tab below

### AT Visual Kit (5 tests)

---

Factor	Range	# Tests
Hardness	1 drop=10ppm/1 gpg	100
pH	5.0-10.0 pH	50
Iron	0.5-10.0 ppm*	50
Precipitation	Before/After	100
Soap Consumption	Before/After	100

\* Higher concentrations by dilution, instructions included



### AT-Q Digital Kit (8 tests) with ColorQ digital colorimeter

---

Factor	Range	Resolution	# Tests
Hardness	1-41 gpg*	1 gpg	140
pH	5-9 pH	0.1 pH	70
Iron	0.0-3.0 ppm	0.1 ppm	50
Nitrate	0-25 ppm	1 ppm	50
Chlorine	0-10 ppm	0.1 ppm	50
Sulfide	0-3.0 ppm*	0.1 ppm	120
Precipitation	Before/After	--	100
Soap Consumption	Before/After	--	100



*\*Higher concentrations by dilution, instructions included.*

## AT-Q DIGITAL Series

---

Featuring the new ColorQ digital colorimeter!

The AT-Q Digital Series features the new ColorQ digital colorimeter - an innovative dual-optic design provides greater accuracy and more test factors. The ColorQ eliminates the need to visually determine slight color variations or the use of look-up tables, which takes out the guesswork.



## AT-Q Digital Kit WITH:

---

Description	Order Code
Model S Softener	4-3051
DuoSoft Softener	4-3055
DirectFlo Softener	4-3071
DuoSoft DirectFlo Softener	4-3075

### CHOOSE YOUR SOFTENER

	<p>WITH Model S <b>Code 4-3051</b></p> <ul style="list-style-type: none"> <li>-Single chamber</li> <li>-Filled with resin</li> </ul>		<p>WITH DuoSoft <b>Code 4-3055</b></p> <ul style="list-style-type: none"> <li>-Dual chamber</li> <li>-Shipped empty</li> </ul>
	<p>WITH DirectFlo <b>Code 4-3071</b></p> <ul style="list-style-type: none"> <li>-Hose Free</li> <li>-Single chamber</li> <li>-Filled with resin</li> </ul>		<p>WITH DirectFlo DuoSoft <b>Code 4-3075</b></p> <ul style="list-style-type: none"> <li>-Hose Free</li> <li>-Dual chamber</li> <li>-Filled with carbon and resin</li> </ul>

Optional Test Kits Available:

<b>Item Description</b>	<b>Order Code</b>
TDS Dual Range Meter (0-1,900 ppm and 0-10 ppt)	5-0080